HDMI CAT5 Extender Series

ITEM NO.: VHE-100IR HDMI CAT5 Extender With RS232 & IR over Single CAT5 cable

VHE-100IR HDMI CAT5 Extender is using only one cost effective CAT5E/6 cable to extend your HDTV display up to 100 meters at 1080p. With Bi-directional RS232 and IR function to delivers significant value to the entire home and commercial entertainment system.







VHE-100IR HDMI CAT5 Extender With RS232 & IR over Single CAT5 cable Features:

- Extends HDMI with control signal over one CAT5/5e/6 cables.
- Controls signals including RS232 and IR remote control.
- Uncompressed high definition video up to 1080p@60Hz@48bits and 3D.
- Max. Data Rate- 10.2 Gbps.
- HDMI 1.3 and HDCP compliance.
- Bi-Directional IR function.
- Bi-Directional RS232 interface commands and data can flow in both directions via RS232, allowing status requests and control of the destination unit.
- Audio transmission support Dolby TrueHD, DTS-HD MA.
- Transmission range up to 100 meters at 1080p resolution.


Panel view:


VHE-100I R-TX






VHE-100IR-RX





Installation view:



Cable:

Link cable recommend use high quality Cat.5e, Cat.6, Cat.6a, Cat.7 UTP / STP or FTP cable.

Transmission Distance:

The maximum transmission distance up to 100meters, use lower resolution won't extend longer distance

If connection through the wall socket, the cable length must less 5 meters between HDMI extender and wall jack, as below drawing:



RJ45 Define:

Video Link (TIA/EIA-568-B)

1. Orange-white DATA0 +

2. Orange DATA0 -

3. Green-white DATA1 +

4. Blue DATA2 +

5. Blue-white DATA2 -

6. Green DATA1 -

7. Brown-white DATA3 +

8. Brown DATA3 -

LED Indication:

GREEN power

BLUE IR Receive

RED IR Transmitt

RJ-45 GREEN Link

Caution:

- 1. The wiring must away from any equipment with electromagnetic wave, i.e.: mobile phone, microwave, radio equipment, fluorescent lamp, high voltage power lines.
- 2. This device is not network equipment, do not connect with Network to avoid damage.
- 3. IR transmitter do not put near from receiver to avoid mutual interference.

Package Include:

Transmitter x 1 piece
Receiver x 1 piece
Power adapter x 2 pieces
IR Emitter cable x 2 pieces
IR Receiver cable x 2 pieces

Specification:

Rohs (FE C

ITEM	VHE-100IR-TX	VHE-100IR-RX	
Resolution	Up to 1080p / 60Hz / 48 bit		
Distance	100M (Max)		
HDMI Connector	Type A		
RS-232 Baud Rate	Up to 115200 bps / Full Duplex		
RS-232 Connector	DB9 Female	DB9 Male	
IR Carrier	38Khz / ±10° / 5M / 2 Way		
Power Supply	Regulated 5V / 2A		
Power Consumption	600mA (Max)	1200mA (Max)	
Temperature	Operation: 0 to 55°C, Storage: -20 to 85°C		
Humidity	Up to 95%		
Dimensions	130 x 88	130 x 88 x30 (mm)	
Weight	280 g	280 g	